



工业阀门

Industrial Valve

YODSN 永德信®



一片式内螺球阀
1PC Female Ball Valve




NO.1116001

主要外形尺寸 Main dimension

DN	G	B	L	E	H	A
6	1/4"	5	40	13	28	65
10	3/8"	8	45	13	30	65
15	1/2"	9.5	56	16	34	85
20	3/4"	12.5	60	18	40	95
25	1"	16	71	20	52	110
32	1 1/4"	20	78	21.5	62	140
40	1 1/2"	25	96	23	68	140
50	2"	32	101	24.5	75	155
65	2 1/2"	40	120	25	82	180

(1000 WOG) 两片式内螺球阀
(1000 WOG) 2PC Female Ball Valve

Q11F-(16-64)C/P/R




NO.1116002

主要外形尺寸 Main dimension

DN	G	B	L	E	H	A
6	1/4"	8	54	11.5	52	105
10	3/8"	10	54	11.5	52	105
15	1/2"	15	62.5	14	65	130
20	3/4"	20	73.5	15	70	130
25	1"	25	86	15	78	160
32	1 1/4"	32	101	18	82	180
40	1 1/2"	38	110	19	90	200
50	2"	50	123	19	98	200
65	2 1/2"	64	165	23	140	240
80	3"	80	190	25	135	260
100	4"	100	220	28	170	300

(1000 WOG) 三片式内螺球阀
(1000 WOG) 3PC Female Ball Valve

Q11F-(16-64)C/P/R




NO.1116003

主要外形尺寸 Main dimension					
DN	G	B	L	H	A
6	1/4"	8	65	57	98
10	3/8"	10	65	57	98
15	1/2"	15	75	68	125
20	3/4"	20	85	70	125
25	1"	25	95	80	145
32	1 1/4"	32	115	84	145
40	1 1/2"	38	125	93	205
50	2"	50	150	100	205
65	2 1/2"	64	175	142	250
80	3"	76	216	155	265
100	4"	100	260	172	300

(1000 WOG) 三片式对焊球阀
(1000 WOG) 3PC Butt Welded Ball Valve

Q61F-(16-64)C/P/R




NO.1116004

主要外形尺寸 Main dimension					
SIZE	B	D	L	H	A
3/8	9.7	12.7	65	52	105
1/2	16	19.1	75	65	130
3/4	22.4	25.4	85	70	130
1	28.8	31.8	95	78	150
1 1/4	35.1	38.1	115	82	180
1 1/2	47.8	50.8	125	90	200
2	59.5	63.5	150	98	200
2 1/2	72.2	76.2	175	140	240
3	85	89	210	155	265
4	97.6	101.6	260	122	300

(1000 WOG)T/L 型内螺纹三通球阀
(1000 WOG)T/L Type 3-Way Female Ball Valve


QF-(16-64)C、P、R



主要外形尺寸 Main dimension					
DN	G	L	E	A	H
6	1/4"	68	16	95	59
10	3/8"	68	16	95	59
15	1/2"	68	16	95	59
20	3/4"	85	18	125	63
25	1"	92	22	125	68
32	1 1/4"	125	25	145	73
40	1 1/2"	140	26	145	89
50	2"	155	28	205	100

三片式快装球阀
3PC Clamped Ball Valve



Q81-(6-25)C/P/R



主要外形尺寸 Main dimension					
DN	G	D	L	H	A
15	1/2"	34	89	68	125
20	3/4"	50.5	101	70	125
25	1"	50.5	115	80	145
32	1 1/4"	50.5	130	84	145
40	1 1/2"	50.5	140	93	205
50	2"	64	156	100	205
65	2 1/2"	77.5	196	142	250
80	3"	91	229	155	250
100	4"	119	240	172	290

三片式法兰球阀 (高平台)
3PC Flanged Ball Valve(With Mounting Pad)

Q41F-(16-64)C、P、R、Ti、Ni





NO.1116007

主要外形尺寸 Main dimension

DN	B	L	H	W	D	K	D1	C	N-Φ	D	K	D1	C	N-Φ	D	K	D1	C	N-Φ
15	15	130	75	130	95	65	45	14	4-14	95	65	45	16	4-14	89	60.5	35	10	4-15
20	20	150	75	140	105	75	58	16	4-14	105	75	58	18	4-14	98	70	43	11	4-15
25	25	160	90	140	115	85	68	16	4-14	115	85	68	18	4-14	108	79.5	51	12	4-15
32	32	180	110	170	140	100	78	16	4-18	140	100	78	18	4-18	117	89	64	13	4-15
40	38	200	130	200	150	110	88	16	4-18	150	110	88	18	4-18	127	98.5	73	15	4-15
50	50	230	140	220	165	125	102	18	4-18	165	125	102	20	4-18	152	120.5	92	16	4-19
65	65	250/290	170	280	185	145	122	18	8-18	185	145	122	22	8-18	178	139.5	105	18	4-19
80	78	280/310	180	300	200	160	138	20	8-18	200	160	138	24	8-18	190	152.5	127	19	4-19
100	100	320/350	250	340	220	180	158	20	8-22	235	190	162	24	8-22	229	190.5	157	24	8-19

国标法兰球阀
Flanged Ball Valve(GB)

Q41F-(16-64)C、P、R、Ti、Ni




NO.1116008

主要外形尺寸 Main dimension

DN	L	H	W	D	K	D1	C	N-Φ
15	130	76	130	95	65	45	14	4-14
20	140/130	83	130	105	75	55	14	4-14
25	150/140	86	130	115	85	65	14	4-14
32	165	94	160	135	100	78	16	4-18
40	180/165	108	200	145	110	85	16	4-18
50	200/203	114	200	160	125	100	16	4-18
65	220/222	138	240	180	145	120	18	4-18
80	250/241	154	290	195	160	135	20	8-18
100	280	175	330	215	180	155	20	8-18
125	320/356	210	400	245	210	185	22	8-18
150	360/394	232	520	280	240	210	24	8-23
200	457			335	295	265	26	12-23
250	533			405	355	320	30	12-25
300	610			460	410	375	30	12-25

薄型法兰球阀
Wafer Type Flanged Ball Valve

Q41f-(16-64)C、P、R、Ti、Ni




NO.1116009

主要外形尺寸 Main dimension									
DN	d	L	D	K	D1	C	H	N-Φ	W
15	15	35	95	65	46	10	65	4-M12	100
20	20	37	105	75	56	11	70	4-M12	110
25	25	42	115	85	65	12	80	4-M12	125
32	32	53	135	100	76	14	90	4-M16	150
40	38	62	160	110	85	16	96	4-M16	160
50	50	78	180	125	100	17	104	4-M16	180
65	58	90	185	145	118	18	110	4-M16	200
80	76	110	200	160	132	18	130	8-M16	250
100	90	134	215	180	156	19	145	8-M16	270

不锈钢内螺纹闸阀
Stainless Steel Female Gate Valve

J15W-(16-64)C、P、R



NO.1116010


主要外形尺寸 Main dimension						
DN	G	L	E	B	H	A
6	1/4"	60	15	23	80	60
10	3/8"	60	15	26	80	60
15	1/2"	68	16	31	90	70
20	3/4"	82	18	38	98	70
25	1"	90	20	46	108	80
32	1 1/4"	105	21.5	56	120	80
40	1 1/2"	125	23	63	146	90
50	2"	140	24.5	76	162	100

美式内螺纹截止阀
American Type Female Globe Valve

J11W-(16-64)C、P、R




S 型截止阀（国标）
S-Type Globe Valve（GB）



主要外形尺寸 Main dimension


DN	G	L	E	B	H	A
6	1/4"	60	15	23	80	60
10	3/8"	60	15	26	80	60
15	1/2"	68	16	31	90	70
20	3/4"	82	18	38	98	70
25	1"	90	20	46	108	80
32	1 1/4"	105	21.5	56	120	80
40	1 1/2"	125	23	63	146	90
50	2"	140	24.5	76	162	100



内螺纹旋启式止回阀
Female Swing Check Valve
H14W-(16-64)C、P、R




2PC 内螺纹弹簧止回阀
2PC Spring Female Check Valve
H11-(16-64)C、P、R



主要外形尺寸 Main dimension

DN	G	L	E	B	H
6	1/4"	65	10	24	65
10	3/8"	65	10	24	65
15	1/2"	65	12	26	65
20	3/4"	80	17	32	80
25	1"	91	20	44	90
32	1 1/4"	104	20	51	105
40	1 1/2"	120	20	58	120
50	2"	140	23	69	100


H71 止回阀 (软密封、硬密封)
H71 Check Valve(Resilient Seated/Metal Seated)



主要外形尺寸 Main dimension			
口径 OD	A	B	C
15	52	15	31
20	60	20	31
25	70	25	31
32	80	32	34
40	90	4	35
50	105	50	40
65	127	65	50
80	140	80	60
100	160	100	75
125	190	125	83
150	220	150	98
200	280	200	110

Y 型内螺纹过滤器带排污口
Y-type Female Strainer(with end cap plug)

SY11-(16-64)C、P、R



主要外形尺寸 Main dimension					
DN	G	L	E	B	H
6	1/4"	63.5	11.5	24	42
10	3/8"	64	13	24	42
15	1/2"	65	14	26	43
20	3/4"	80	15	32	50
25	1"	89	17	41	60
32	1 1/4"	107	20	49	64
40	1 1/2"	118	20	56	70
50	2"	140	22	69	88